

# LIFE & WORK RANGE | OPLAADBARE ZAKLAMPEN



Model	P17R	P7R	P5R	P3R
<b>LED</b>				
LED configuratie	1x Xtreme	1x Xtreme	1x High Power	1x High Power
Lichtfuncties	High Power / Low Power / Knipperen / SOS / Strobe / Positie	High Power / Mid Power / Low Power	High Power / Low Power / Strobe	High Power / Low Power
Lumen (lm)	<b>1.000</b> / 100 lm	<b>1.000</b> / 250 / 20 lm	<b>420</b> / 20 lm	<b>140</b> / 20 lm
Reikwijdte (m)	<b>450</b> / 150 m	<b>210</b> / 150 / 40 m	<b>240</b> / 50 m	<b>100</b> / 40 m
Brandtijd (u)	8 / <b>60</b> u	2 / 5 / <b>40</b> u	3 / <b>15</b> u	2,5 / <b>6</b> u
<b>OPLAADBAAR</b>				
	✓	✓	✓	✓
<b>BATTERIJ &amp; BEHUIZING</b>				
Batterij	1x LiFePO4	1x Li-ion	1x Li-ion	1x Li-ion
Laadtijd (u)	2,5 u	5 u	2,5 u	2,5 u
Waterdichtheid	IPX4	IPX4	IPX4	IPX4
<b>AFMETINGEN &amp; GEWICHT</b>				
Lengte, gedefocusseerd (mm)	290 mm	158 mm	117 mm	102 mm
Diameter kop (mm)	53 mm	37 mm	26 mm	20 mm
Gewicht, incl. batterijen (g)	715 g	210 g	75 g	42 g
<b>COMPATIBELE ACCESSOIRES</b>				
	✓	✓	✓	✓
<b>TECHNOLOGIE</b>				
Advanced Focus System	•	•	•	•
Rapid Focus	•	•	•	•
Smart Light Technology	•	•		
Temperature Control	•			•
Floating Charge System	•	•	•	
Safety Ytrion Cell	•			
Emergency Light	•			
Natural Light >90CRI / 4000				



B2C GENERAL

# LIFE & WORK RANGE | ZAKLAMPEN - 2



Model	P3	P2	K3	K2	K1
<b>LED</b>					
LED configuratie	1x Power	1x Power	1x Low Power	1x Low Power	1x Low Power
Lichtfuncties	High Power	High Power	High Power	High Power	High Power
Lumen (lm)	<b>25</b> lm	<b>16</b> lm	<b>14</b> lm	<b>20</b> lm	<b>13</b> lm
Reikwijdte (m)	<b>60</b> m	<b>25</b> m	<b>33</b> m	<b>20</b> m	<b>16</b> m
Brandtijd (u)	<b>6</b> u	<b>7</b> u	<b>1,3</b> u	<b>4</b> u	<b>0,25</b> u
<b>OPLAADBAAR</b>					
	X	X	X	X	X
<b>BATTERIJ &amp; BEHUIZING</b>					
Batterij	1x AAA, alkaline	1x AAA, alkaline	4x LR44, alkaline	4x LR44, alkaline	4x LR44, alkaline
Laadtijd (u)	-	-	-	-	-
Waterdichtheid	IPX4	IPX4	IPX4	IPX4	IPX4
<b>AFMETINGEN &amp; GEWICHT</b>					
Lengte, gedefocusseerd (mm)	90 mm	102 mm	71 mm	51,8 mm	43 mm
Diameter kop (mm)	19 mm	14,5 mm	20 mm	14,5 mm	10,5 mm
Gewicht, incl. batterijen (g)	35 g	36 g	29 g	20 g	10 g
<b>COMPATIBELE ACCESSOIRES</b>					
	X	X	X	X	X
<b>TECHNOLOGIE</b>					
Advanced Focus System	•	•	•		
Rapid Focus	•		•		
Smart Light Technology					
X-Lens Technology					
Temperature Control					
Floating Charge System					
Safety Ytrion Cell					
Natural Light >90CRI / 4000					

B2C GENERAL

# LIFE & WORK RANGE | HOOFDLAMPEN



Model	H14R.2	H8R	H7R.2	H7.2	H3.2
<b>LED</b>					
LED configuratie	1x Xtreme	1x Xtreme	1x High Power	1x High Power	1x Power
Lichtfuncties	Boost / High Power / Low Power / Knipperen	High Power / Mid Power / Low Power	Boost / High Power / Low Power / Knipperen	Boost / High Power / Low Power / Knipperen	High Power / Low Power
Lumen (lm)	<b>1.000</b> / 450 / 60 lm	<b>600</b> / 250 / 10 lm	<b>300</b> / 200 / 20 lm	<b>250</b> / 200 / 20 lm	<b>120</b> / 5 lm
Reikwijdte (m)	<b>300</b> / 200 / 70 m	<b>150</b> / 100 / 20 m	<b>160</b> / 140 / 50 m	<b>160</b> / 140 / 50 m	<b>100</b> / 20 m
Brandtijd (u)	6 / 12 / <b>35</b> u	10 / 15 / <b>120</b> u	4 / 10 / <b>30</b> u	5 / 8 / <b>30</b> u	6 / <b>60</b> u
<b>OPLAADBAAR</b>	✓	✓	✓	X	X
<b>BATTERIJ &amp; BEHUIZING</b>					
Batterij	2x Li-ion	1x Li-ion	1x Li-ion	4x AAA, alkaline	3x AAA, alkaline
Laadtijd (u)	8 u	6 u	5 u	-	-
Waterdichtheid	IPX4	IPX4	IPX6	IPX6	IPX4
<b>AFMETINGEN &amp; GEWICHT</b>					
Lengte, gedefocusseerd (mm)	-	-	-	-	-
Diameter kop (mm)	37 mm	36 mm	35 mm	35 mm	28 mm
Gewicht, incl. batterijen (g)	340 g	158 g	165 g	165 g	133 g
<b>COMPATIBELE ACCESSOIRES</b>	✓	✓	✓	✓	✓
<b>TECHNOLOGIE</b>					
Advanced Focus System	•	•	•	•	•
Rapid Focus	•	•	•	•	
Smart Light Technology	•	•	•	•	
X-Lens Technology					
Temperature Control	•	•	•	•	
Floating Charge System					
OptiSense Technology					
Natural Light >90CRI / 4000					